
# MICHAELANASTASSIADES

Mobile Chandelier 11, 2017





## Bulb specifications

Bulb specifications 120 / 240V G6.35 50W / 12V frosted halogen for Ø150mm sphere 760lm / 2700K

G4 20W / 12V frosted halogen for Ø60mm sphere 250lm / 2700K

## Product specifications

Input voltage: 120V / 240V

Maximum wattage: 50W for ~150mm sphere, 25W for ~60mm sphere

Dimmable: yes Product weight: ~15kg

Please supply required drop length of fixture, measured from the ceiling to bottom fitting at time of order.

Minimum total drop length 2000mm. Maximum total drop length 3755mm.

A short ceiling rose is available with remote transformer.

Please allow 25mm tolerance of drop length.

120V version supplied with a 4" junction box cover Mud-in-plate option that can be plastered over the junction box available upon request


#### Cleaning Instructions

Before cleaning, lighting fix tures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Black patinated: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it after wards with a soft dust cloth. Make sure the product is completely dry before switching the electricity on.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

## Backplate





Mounting screws not included.

4mm countersunk screw recommended.

# MICHAELANASTASSIADES

Mobile Chandelier 12, 2017





## Bulb specifications

Bulb specifications 120 / 240V G6.35 50W / 12V frosted halogen for Ø150mm sphere 760lm / 2700K

G4 20W / 12V frosted halogen for Ø60mm sphere 250lm / 2700K

## Product specifications

Input voltage: 120V / 240V

Maximum wattage: 50W for Ø 150mm sphere, 25W for Ø 60mm sphere

Dimmable: yes Product weight: ~15kg

Please supply required drop length of fixture, measured from the ceiling to bottom fitting at time of order.

Minimum total drop length 1400mm. Maximum total drop length 3150mm.

A short ceiling rose is available with remote transformer.

Please allow 25mm tolerance of drop length.

120V version supplied with a 4" junction box cover.

Mud-in-plate option that can be plastered over the junction box available upon request


## Cleaning Instructions

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Black patinated: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it after wards with a soft dust cloth. Make sure the product is completely dry before switching the electricity on.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

#### Backplate




Mounting screws not included.
4mm countersunk screw recommended.

# MICHAELANASTASSIADES

Mobile Chandelier 13, 2017





## Bulb specifications

Bulb specifications 120 / 240V G6.35 50W / 12V frosted halogen for Ø150mm sphere 760lm / 2700K

G4 20W / 12V frosted halogen for Ø60mm sphere 250lm / 2700K

## Product specifications

Input voltage: 120V / 240V

Maximum wattage: 50W for ~150mm sphere, 25W for ~60mm sphere

Dimmable: yes Product weight: ~18kg

Please supply required drop length of fixture, measured from the ceiling to bottom fitting at time of order.

Minimum total drop length 1530mm. Maximum total drop length 3130mm.

A short ceiling rose is available with remote transformer.

Please allow 25mm tolerance of drop length.

120V version supplied with a 4" junction box cover Mud-in-plate option that can be plastered over the junction box available upon request


## Cleaning Instructions

Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Black patinated: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it after wards with a soft dust cloth. Make sure the product is completely dry before switching the electricity on.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

#### Backplate



Mounting screws not included.
4mm countersunk screw recommended.

Michael Anastassiades' design philosophy is to preserve the inherent qualities of given material. All of our products are handmade and come in natural finishes, exposed to the elements without any protective lacquers. We look at oxidisation as part of a process that adds to the patina of an object, increasing beauty with time. We try our best for all goods to leave our premises in pristine condition, but sometimes products may arrive with minor oxidisation marks.

Whilst every effort is made to ensure accurate representation of product colours, finishes and dimensions, Michael Anastassiades Ltd reserves the right to alter these details without notice, in compliance with its own production needs, technological changes or in response to the current market needs. Colour swatches are for reference only; Michael Anastassiades Ltd cannot guarantee exact colour match for any product finishes.

All designs are protected under copyright law. Michael Anastassiades holds the exclusive manufacturing and distribution rights worldwide. Copying will be prosecuted.

All light fixtures in this catalogue have CE marking compliance.

Michael Anastassiades Ltd.
50 Rochester Pl, London NW1 9JX, UK
T +44 (0)20 7928 7527
sales@michaelanastassiades.com
www.michaelanastassiades.com
© 2018 Michael Anastassiades Ltd. All rights reserved.