
Single Angle, 2013





Single Angle, 2013
Satin brass or satin nickel-plated brass
Mouth blown opaline sphere
Pendant rod length to order



Bulb specifications 240V G9 40W frosted halogen bulb 460 lm / 2800K

Bulb specifications 120V G9 40W frosted halogen bulb 350 lm / 2800K

Product Specifications

Input voltage: 120V / 240V Maximum wattage: 40W

Dimmable: yes
Product weight: ~4kg

Please supply required drop length of fixture, measured from the ceiling to bottom of fitting at time of order. Maximum total drop length 2686mm.

Please allow 25mm tolerance of drop length.

120V version supplied with Mud-in-Plate.
4" junction box cover option available on request.

Cleaning Instructions


Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Satin brass: Use the Scotch Brite pad (supplied in the product box) and gently rub the pad in the direction of the grain. Repeat until the natural patina is removed. On rubbing the Scotch Brite to the brass, grains will occur. The colour of the product will temporarily get lighter until it re-oxidises.

Satin nickel: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

Backplate



Mounting screws not included.
6mm countersunk screw recommended.

Whilst every effort is made to ensure accurate representation of product colours, finishes and dimensions, Michael Anastassiades Ltd reserves the right to alter these details without notice, in compliance with its own production needs, technological changes or in response to the current market needs. Colour swatches are for reference only; Michael Anastassiades Ltd cannot guarantee exact colour match for any product finishes.

All designs are protected under copyright law. Michael Anastassiades holds the exclusive manufacturing and distribution rights worldwide. Copying will be prosecuted.

All light fixtures in this catalogue have CE marking compliance.


Michael Anastassiades Ltd.
50 Rochester Pl, London NW1 9JX, UK
T +44 (0)20 7928 7527
sales@michaelanastassiades.com
www.michaelanastassiades.com
© 2019 Michael Anastassiades Ltd.. All rights reserved.

Double Angle, 2013





Double Angle, 2013
Satin brass or satin nickel-plated brass
Mouth blown opaline spheres
Pendant rod length to order



Bulb specifications 240V G9 40W frosted halogen bulb 460 lm / 2800K

Bulb specifications 120V G9 40W frosted halogen bulb 350 lm / 2800K

Product Specifications

Input voltage: 120V / 240V Maximum wattage: 40W

Dimmable: yes Product weight: ~6kg

Please supply required drop length of fixture, measured from the ceiling to bottom of fitting at time of order. Maximum total drop length 2686mm.

Please allow 25mm tolerance of drop length.

120V version supplied with Mud-in-Plate.

4" junction box cover option available on request.

Cleaning Instructions


Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Satin brass: Use the Scotch Brite pad (supplied in the product box) and gently rub the pad in the direction of the grain. Repeat until the natural patina is removed. On rubbing the Scotch Brite to the brass, grains will occur. The colour of the product will temporarily get lighter until it re-oxidises.

Satin nickel: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

Backplate



Mounting screws not included.
6mm countersunk screw recommended.

Whilst every effort is made to ensure accurate representation of product colours, finishes and dimensions, Michael Anastassiades Ltd reserves the right to alter these details without notice, in compliance with its own production needs, technological changes or in response to the current market needs. Colour swatches are for reference only; Michael Anastassiades Ltd cannot guarantee exact colour match for any product finishes.

All designs are protected under copyright law. Michael Anastassiades holds the exclusive manufacturing and distribution rights worldwide. Copying will be prosecuted.

All light fixtures in this catalogue have CE marking compliance.


Michael Anastassiades Ltd.
50 Rochester Pl, London NW1 9JX, UK
T +44 (0)20 7928 7527
sales@michaelanastassiades.com
www.michaelanastassiades.com
© 2019 Michael Anastassiades Ltd. All rights reserved.

Triple Angle, 2013





Triple Angle, 2013
Satin brass or satin nickel-plated brass
Mouth blown opaline spheres
Pendant rod length to order



Bulb specifications 240V G9 40W frosted halogen bulb 460 lm / 2800K

Bulb specifications 120V G9 40W frosted halogen bulb 350 lm / 2800K

Product Specifications

Input voltage: 120V / 240V Maximum wattage: 40W

Dimmable: yes

Product weight: ~8kg

Please supply required drop length of fixture, measured from the ceiling to bottom fitting at time of order. Maximum total drop length 2686mm.

Please allow 25mm tolerance of drop length.

120V version supplied with Mud-in-Plate.

4" junction box cover option available on request.

Cleaning Instructions


Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Satin brass: Use the Scotch Brite pad (supplied in the product box) and gently rub the pad in the direction of the grain. Repeat until the natural patina is removed. On rubbing the Scotch Brite to the brass, grains will occur. The colour of the product will temporarily get lighter until it re-oxidises.

Satin nickel: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

Backplate



Mounting screws not included.
6mm countersunk screw recommended.

Whilst every effort is made to ensure accurate representation of product colours, finishes and dimensions, Michael Anastassiades Ltd reserves the right to alter these details without notice, in compliance with its own production needs, technological changes or in response to the current market needs. Colour swatches are for reference only; Michael Anastassiades Ltd cannot guarantee exact colour match for any product finishes.

All designs are protected under copyright law. Michael Anastassiades holds the exclusive manufacturing and distribution rights worldwide. Copying will be prosecuted.

All light fixtures in this catalogue have CE marking compliance.


Michael Anastassiades Ltd.
50 Rochester Pl, London NW1 9JX, UK
T +44 (0)20 7928 7527
sales@michaelanastassiades.com
www.michaelanastassiades.com
© 2019 Michael Anastassiades Ltd. All rights reserved.

Single Angle - Wall Mounted, 2015





Single Angle - Wall Mounted, 2015 Satin brass or satin nickel-plated brass Mouth blown opaline sphere



Bulb specifications 240V G9 40W frosted halogen bulb 460 lm / 2800K

Bulb specifications 120V G9 40W frosted halogen bulb 350 lm / 2800K

Product Specifications

Input voltage: 120V / 240V Maximum wattage: 40W

Dimmable: yes Product weight: ~5kg

Cleaning Instructions


Before cleaning, lighting fixtures must be turned off and unplugged from mains electricity. Whilst cleaning them please be extremely careful and use the white cotton gloves provided in the product box.

Satin brass: Use the Scotch Brite pad (supplied in the product box) and gently rub the pad in the direction of the grain. Repeat until the natural patina is removed. On rubbing the Scotch Brite to the brass, grains will occur. The colour of the product will temporarily get lighter until it re-oxidises.

Satin nickel: Use a lightly damp soft dust cloth and gently go over marks until clean. Dry it afterwards with a soft dust cloth.

Opaline glass: Remove the opaline glass sphere from the product. Using a lightly damp cloth, clean only the outside of the sphere and dry it with a dry soft dust cloth. Only put the glass sphere back on the product once it is fully dry.

Backplate



Mounting screws not included.
5mm countersunk screw recommended.

Whilst every effort is made to ensure accurate representation of product colours, finishes and dimensions, Michael Anastassiades Ltd reserves the right to alter these details without notice, in compliance with its own production needs, technological changes or in response to the current market needs. Colour swatches are for reference only; Michael Anastassiades Ltd cannot guarantee exact colour match for any product finishes.

All designs are protected under copyright law. Michael Anastassiades holds the exclusive manufacturing and distribution rights worldwide. Copying will be prosecuted.

All light fixtures in this catalogue have CE marking compliance.

Michael Anastassiades Ltd.
50 Rochester Pl, London NW1 9JX, UK
T +44 (0)20 7928 7527
sales@michaelanastassiades.com
www.michaelanastassiades.com
© 2019 Michael Anastassiades Ltd. All rights reserved.